

Issued Date : 2015. 03. 04

Page 1 of 8

### KOSTIC KOREA LTD.

32-2,Pungmu-dong Gimpo-city,Gyeonggi-do Korea

The following sample(s) was/were submitted and identified by/on behalf of the client as:-

SGS File No.	: AYAA15-11412
Product Name	: PP Film Label(coating)
Item No./Part No.	<u>-</u> N/A
Client Reference Data :	NY/PEARL,LAMI-OPP/OPP
Received Date	: 2015. 02. 27
Test Period	: 2015. 03. 02 to 2015. 03. 04
Report Comments	: By the applicant's request, item No.s/part No.s & client reference information are stated/added on report.
Test Results	: For further details, please refer to following page(s)

SGS Korea Co., Ltd.

Jeff Jang / Chemical Lab Mgr

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <<u>http://www.sgs.com/en/Terms-and-Conditions.aspx></u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a> <a href="http://www.sgs.com/terms\_e-document.htm">http://www.sgs.com/terms\_e-document.htm</a> <a href="http://www.sgs.com/terms\_e-document.htm">http://www.sgs.com/te

322, The O valley, 76, LS-ro, Dongan-gu, Anyang-si, Gyeonggi-do, Korea 431-080 t+82 (0)31 4608 000 f+82 (0)31 4608 059 <a href="http://www.sasgroup.kr">http://www.sasgroup.kr</a>



Issued Date : 2015. 03. 04

Page 2 of 8

Sample No.	: AYAA15-11412.001
Sample Description	: PP Film Label(coating)
Item No./Part No.	: N/A
Materials	: PP

#### **Heavy Metals**

Test Items	Unit	Test Method	MDL	Results
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5:2013 (Determination of Cadmium by ICP-OES)	0.5	N.D.
Lead (Pb)	mg/kg	With reference to IEC 62321-5:2013 (Determination of Lead by ICP-OES)	5	N.D.
Mercury (Hg)	mg/kg	With reference to IEC 62321-4:2013 (Determination of Mercury by ICP-OES)	2	N.D.
Hexavalent Chromium (Cr VI)	mg/kg	With reference to IEC 62321:2008 (Determination of Hexavalent Chromium by spot test/Colorimetric Method using UV-Vis)	1	N.D.
Beryllium (Be)	mg/kg	With reference to EPA 3052(1996), US EPA 6010B(1996), ICP	0.5	N.D.
Antimony (Sb)	mg/kg	With reference to EPA 3052(1996), US EPA 6010B(1996), ICP	10	N.D.

#### Flame Retardants-PBBs/PBDEs

Test Items	Unit	Test Method	MDL	Results
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <<u>http://www.sgs.com/en/Terms-and-Conditions.aspx></u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a> <a href="http://www.sgs.com/terms\_e-document.htm">http://www.sgs.com/terms\_e-document.htm</a> <a href="http://www.sgs.com/terms\_e-document.htm">http://www.sgs.com/te

322, The O valley, 76, LS-ro, Dongan-gu, Anyang-si, Gyeonggi-do, Korea 431-080 t+82 (0)31 4608 000 f+82 (0)31 4608 059 <a href="http://www.sasgroup.kr">http://www.sasgroup.kr</a>



Issued Date: 2015.03.04

Page 3 of 8

Sample No.	: AYAA15-11412.001
Sample Description	: PP Film Label(coating)
Item No./Part No.	: N/A
Materials	: PP

#### Flame Retardants-PBBs/PBDEs

Test Items	Unit	Test Method	MDL	Results
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008 (Determination of PBBs and PBDEs by GC-MS)	5	N.D.

#### Phthalates

Test Items	Unit	Test Method	MDL	Results
Di-(2-ethylhexyl) phthalate (DEHP)	mg/kg	With reference to ASTM D3421-75 , GC-MS	50	N.D.
Di-n-octyl phthalate (DNOP)	mg/kg	With reference to ASTM D3421-75 , GC-MS	50	N.D.
Dibutyl phthalate (DBP)	mg/kg	With reference to ASTM D3421-75 , GC-MS	50	N.D.
Butylbenzyl phthalate (BBP)	mg/kg	With reference to ASTM D3421-75 , GC-MS	50	N.D.
Diisononyl phthalate (DINP)	mg/kg	With reference to ASTM D3421-75 , GC-MS	50	N.D.
Diisodecyl phthalate (DIDP)	mg/kg	With reference to ASTM D3421-75 , GC-MS	50	N.D.
Diisobutyl Phthalate (DIBP)	mg/kg	With reference to ASTM D3421-75 , GC-MS	50	N.D.
[di(C6-C8 alkyl)phthalate] branched (DIHP)	mg/kg	With reference to ASTM D3421-75 , GC-MS	50	N.D.
[di(C7-C11 alkyl)phthalate] linear+branched (DHNUP)	mg/kg	With reference to ASTM D3421-75 , GC-MS	50	N.D.
Bis(2-methoxyethyl) phthalate (BMP, DMEP)	mg/kg	With reference to ASTM D3421-75 , GC-MS	50	N.D.

#### Halogen Contents

Test Items	Unit	Test Method	MDL	Results
Bromine(Br)	mg/kg	With reference to ASTM D 7359-08, IC	30	N.D.
Chlorine(Cl)	mg/kg	With reference to ASTM D 7359-08, IC	30	N.D.
Fluorine(F)	mg/kg	With reference to ASTM D 7359-08 , IC	30	N.D.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a> <a href="http://www.sgs.com/terms-e-document.htm">http://www.sgs.com/terms-e-document.htm</a> <a href="htt

322, The O valley, 76, LS-ro, Dongan-gu, Anyang-si, Gyeonggi-do, Korea 431-080 t+82 (0)31 4608 000 f+82 (0)31 4608 059 <a href="http://www.sasgroup.kr">http://www.sasgroup.kr</a>



Issued Date : 2015. 03. 04


Page 4 of 8

Sample No.	: AYAA15-11412.001
Sample Description	: PP Film Label(coating)
Item No./Part No.	: N/A
Materials	: PP

NOTE: (1) N.D. = Not detected.(<MDL)

- (2) mg/kg = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) Negative = Undetectable / Positive = Detectable
- (6) \*\* = Qualitative analysis (No Unit)
- (7) \* = Boiling-water-extraction:


Negative = Absence of CrVI coating Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <<u>http://www.sgs.com/enr/Terms-and-Conditions.aspx</u>and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u> <<u>http://www.sgs.com/terms\_e-document.htm</u> </http://www.sgs.com/terms\_e-document.htm </http://www.sgs



## Testing Flow Chart for RoHS:Cd/Pb/Hg/Cr<sup>6+</sup> /PBBs&PBDEs Testing




The samples were dissolved totally by pre-conditioning method according to above flow chart for Cd,Pb,Hg. Section Chief : Gilsae Yi

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <<u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u>-and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-ed-comment.htm">www.sgs.com/en/Terms-ed-comment.htm</a>-Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the report refer only to the sample(s).



## Flow Chart for Inorganic Elements Testing

### Inorganic Elements




Major Inorganic	Antimony(Sb) , Beryllium(Be) , Phosphorus(P) ,
Heavy Metals	Arsenic(As) etc.
Tieavy Wetais	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <<u>http://www.sgs.com/en/Terms-and-Conditions.aspx></u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a> <a href="http://www.sgs.com/terms\_e-document.htm">http://www.sgs.com/terms\_e-document.htm</a> <a href="http://www.sgs.com/terms\_e-document.htm">http://www.sgs.com/te



## Flow Chart for Halogen Test




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms-and-Conditions.aspx">http://www.sgs.com/terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a> <a href="http://www.sgs.com/terms-e-document.htm">http://www.sgs.com/terms-e-document.htm</a> <a href="http://www

322, The O valley, 76, LS-ro, Dongan-gu, Anyang-si, Gyeonggi-do, Korea 431-080 t+82 (0)31 4608 000 f+82 (0)31 4608 059 <a href="http://www.sagaroup.kr">http://www.sagaroup.kr</a>







\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <<u>http://www.sgs.com/en/Terms-and-Conditions.aspx></u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u> <<u>http://www.sgs.com/terms\_e-document.htm</u> 

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

322, The O valley, 76, LS-ro, Dongan-gu, Anyang-si, Gyeonggi-do, Korea 431-080 t+82 (0)31 4608 000 f+82 (0)31 4608 059 http://www.sasgroup.kr.